Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME EIGHTEEN

[The names of species and varieties described as new and of new combinations are in **bold face type.**]

Abies alba, 203
Abronia micrantha, 179
Acacia koa, 48
Account of a Visit to the Juan Fernandez Islands, An, 39
Acer pennsylvanicum, 145; rubrum, 71, 143, 149; saccharinum, 168, 169, 170; Saccharum, 127, 168, 170; spicatum, 116, 133
Achillea Millefolium, 83–86; Millefolium nigrescens, 226
Aconitum Napellus delphinifolium, 201, 207
Actaea rubra, 130
Adams, E., 61
Adams, J. F., 38, 124; Keithia on Chamaecyparis thyoides, 157
Additions to the Flora of Western Oregon, 21
Adenocaulon bicolor, 190
Adiantum pedatum, 113, 165
Adlumia fungosa, 139
Agaricus placomyces, 137
Agathis australis, 155
Agoseris heterophylla normalis, 225
Agropyron caesium, 25; repens, 84
Agropyrum caninum, 130
Agrostemma Githago, 26
Agrostis alba, 84–88; hiemalis, 24, 71; oregonensis, 193; Schweinitzii, 145
Ailanthus glandulosa, 224
Aira caespitosa arctica, 210
Alectoria ochroleuca, 211
Aleuria bicucullata, 245
Aleurites Moluccana, 48
Aleurodiscus Oakesii, 144
Allium schoenoprasum, 204; tricoccum, 139, 144
Allocarya californica, 225
Alnus rhombifolia, 223; rugosa, 133; viridis, 202, 203
Alopecurus alpinus, 207–210
Alsine media, 141
Amanitopsis vaginata, 137; vaginata livida, 137
Amaranthus blitoides, 33; graecizans, 33, 86; retroflexus, 82, 86
Amblystegium filicinum, 106, 145; orthocladon, 112; varium, 111, 133
Ambrosia artemisiifolia, 30, 82, 86; elatior, 71
Amelanchier canadensis, 116, 133; intermedia, 133; spicata, 109
American Museum of Natural History, 20; meetings at, 59, 62, 75, 96, 123, 154, 175
American Phytopathological Society, 40
Ammophila arenaria, 71
Amsinckia arenaria, 224; intermedia, 224; lycopsoides, 224; Menziesii, 224
Anacardium occidentale, 184
Anaphalis margaritacea, 136
Anchistea virginica, 135
Andrews, A. L., Bryological notes — IV. A new hybrid in Physcomitrium, 52
Andromeda glaucophylla, 239, 241; Polifolia, 145, 202; Polifolia arctica, 206
Androsace chamaejasme, 206
Anemone multifida, 205; narcissiflora, 202, 205–207; parviflora, 202, 205, 210; riparia, 134
Anethum graveolens, 28
Anogra pallida, 28
Anomodon attenuatus, 140; rostratus, 104; viticulosus, 104
Antennaria plantaginifolia, 71, 130
Anthemis cotula, 82, 86
Anthoxanthum Puelii, 24
Antirrhinum majus, 30
Aphanorhegma serratum, 52; serratum × Physcomitrium turbinatum, 54
Apium graveolens, 224
Aplectrum hyemale, 148
Apocynum album, 144; hypericifolium, 134
Aquilegia canadensis, 104, 165; saximontana, 179
Arabis, 93; laevigata, 144; lyrata, 104
Aralia nudicaulis, 133; racemosa, 133
Aragallus dispar, 180; minor, 180; palens, 180
Arctostaphylos alpina, 202, 204
Arctium minus, 87
Arenaria arctica, 205; Douglasii, 26; laterifolia, 202; macrocarpa, 207; peploides, 203; serpyllifolia, 83, 87,

132, 134; stricta, 134, 141; verna rubella, 205
Arisaema triphyllum, 130, 137, 165
Armeria arctica, 206; macrocarpa, 210; vulgaris, 202, 210; vulgaris arctica, 205
Arnica angustifolia, 202; monocephala, 183; pedunculata monocephala, 183
Aristida oligantha, 24
Aronia arbutifolia, 133, 136; melanocarpa, 133, 136
Artemisia, 93; Absinthium, 226; arctica, 202; biennis, 31; borealis, 210; Douglasiana, 31; dracunculoides, 31; glomerata, 206; Lindleyana, 31; Tilesii, 203; tomentosa, 206; vulgaris Tilesii, 206
Arthonia radiata, 146
Asarum canadense, 104
Asclepias exaltata, 145; incarnata, 71; 135; mexicana, 29; speciosa, 28
Ashe, W. W., Notes on Southern Woody Plants, 71
Asperugo, 178; procumbens, 178
Asperula odorata, 30
Asphondylia neomexicana, 179
Aspidium fragrans, 202; spinulosum, 203
Asplenium angustifolium, 145; Andrewsii, 179; pycnocarpon, 145; Ruta-muraria, 115, 141; Trichomanes, 113, 141
Aster, 93; cordifolius, 141; ericoides, 141; nobilis, 145
Astragalus alpinus, 202; frigidus littoralis, 202
Atragene americana, 116, 141
Atriplex canescens, 179; hastata, 144
Aulacomnium heterostichum, 137; palustre, 135
Australian Plants, 154
Avena barbata, 222; fatua, 24; sativa, 83, 86, 222
Axial Proliferation in the Flowers of Hibiscus, 61
Azalea, 69; canescens, 136; nudiflora, 165

Baccharis, 70 halimifolia, 71
Banwart, C., 64
Barnhart, J. H., 38, 39, 59, 76, 77, 78, 96, 151, 153, 173, 243
Barre, H. W., 40
Barss, H. P., 40
Bartramia Oederi, 130; pomiformis, 137
Bazzania trilobata, 143
Beals, A. T., 245
Bellis perennis, 22, 30
Benham, R., 38
Berry, E. W., 151
Betula Hallii, 194; lenta, 168, 170; lutea, 104, 136; nana, 202; nigra, 170; papyrifera, 101; pumila glandulifera, 194
Benedict, R. C., 123
Benzoin aestivale, 133, 146
Biatora coarctata, 144; hypnophila, 144; sanguineoatra, 135; vernalis, 115
Biatorella, simplex, 116
Bicuculla canadensis, 139, 148; Cucullaria, 148, 149
Bidens frondosa, 31
Bignonia radicans, 71
Billington, C., 244
Billy, the Boy Naturalist (Review), 229
Boerker, R. H., 154
Boisduvalia glabella, 28
Boletus granulatus, 137; scaber, 137
Bombax malabaricum, 40, 79
Borago officinalis, 29
Botanical Abstracts, 149
Botanical Errors of Some Well-Known Writers, 117
Botanical Excursion to Colombia, A, 124
Botanical Exploration in Colombia, 96
Botanizing With a Camera, 97
Botrychium virginianum, 130
Boykinia Richardsoni, 206
Boynton, K., 174
Brachythecium oxycladon, 141; rivulare, 111, 133; rutabulum, 128; salebrosum, 115
Brassica alba, 27, 82, 86; arvensis, 83; juncea, 87; oleracea acephala, 223; Rapa, 223
Brauneria, 178
Brennan, E., 123
Brief History of the Classification of Flowering Plants, A, 175
Brief Memorial of the Late Dr. J. A. Shafer, A, 174
Britton, E. G., 59, 78, 97, 174
Britton, N. L., 38, 59, 60, 61, 174, 176; An Undescribed Scirpus from California, 36
Britton's Flora of Bermuda (Review), 153
Briza minor, 24
Broadhurst, J., 60, 77; Botanical Errors of Some Well-known Writers, 117
Bromus carinatus, 25; ciliatus, 145; hordeaceus glabrescens, 25; marginatus, 25; polyanthus, 222; tectorum, 130
Brooklyn Botanic Garden, 99
Bryological Notes—IV. A New Hybrid in Physcomitrium, 52
Bryum intermedium, 128, 149
Burnham, S. H., The Flora of Indian

Ladder and Vicinity, together with Descriptive Notes on the Scenery, 101, 127

Cakile edentula, 33
Calamagrostis deschampsioides, 207
Calaplaca cerina, 211
Caldwell, O., 38
Calendula officinalis, 225
Calla palustris, 133
Calliergon cordifolium, 135; Schreberi, 141
Callirhoe, 178
Caltha asarifolia, 33, 194, 205; palustris, 133, 149, 194; palustris asarifolia 202
Calvatia gigantea, 137
Calypogeia Trichomanis, 133
Camelina microcarpa, 22, 179; sativa, 179
Campanula Medium, 30; prenanthoides, 35; rapunculoides, 30, 144; rotundifolia, 109
Camptosorus rhizophyllus, 113, 165
Campylium chrysophyllum, 128; stellatum, 133
Cannabis sativa, 26
Cantharellus aurantiacus, 112; cibarius, 109; floccosus, 109
Capriola dactylon, 71
Capsella bursa-pastoris, 82, 86, 88
Cardamine bulbosa, 148; pratensis, 205
Carduus aciculatus, 16; americanus, 16; araneosus, 15, 16; crispus, 146; eriocephalus, 15; griseus, 15; griseus × Parryi, 15; griseus × scopulorum, 15; Hookerianus, 15; Hookerianus eriocephalus, 15; laterifolius, 15, 16; modestus, 16; Osterhoutii, 14, 15; Parryi, 15; scopulorum, 15; spathulatus, 16; undulatus, 16
Carex, 93; abrupta, 25; angustior, 222; aperta, 193; athrostachya, 32; bovina, 193; densa, 222; dives, 193; diandra, 133, 135; disperma, 145; eburnea, 130, 141; flava, 133; granularis, 145; Hallii, 25; Hindsii, 32; hystricina, 133; interior, 25, 193; leptalea, 133; leptopoda, 25; olympica, 222; platyphylla 130, 133; prairea, 26, 193; rariflora, 205; rigida, 205; scabrata, 145; specifica, 25; stellulata, 193; stipata, 133; straminea, 71, 132; stricta, 133; subfusca, 25; tenella, 145; tenera, 222; teretiuscula, 133; teretiuscula prairea 193; tribuloides, 145; trisperma, 145; tumulicola, 25; unilateralis, 222; verecunda, 32; vesicaria alpigena, 203; vulgaris alpina, 202, 205
Carey, C., 38
Carpinus caroliniana, 147, 162
Carum carui, 144
Carya megacarpa, 74; obovates, 74; ovalis, 74; ovalis **megacarpa**, 74; porcina, 74
Cassiope tetragone 202–208
Castalia odorata, 135
Castilleja, 93; coccinea, 165; levisecta, 35; pallida, 205; sessiliflora, 180
Catherinea angustata, 146
Caulophyllum thalictroides, 148
Ceanothus americanus, 144
Celastrus scandens, 141
Centaurea consimilis, 226; Jacea, 226; nigra, 146
Cerastium alpinum, 210; alpinum Behringianum, 204, 205; arvense, 104, 130, 134; nutans, 26; vulgatum, 71, 82, 86
Cephalanthus occidentalis, 136
Cephalozia pleniceps, 133, 135
Cercospora Symplocarpi, 145
Ceropteris triangularis, 32
Cetraria islandica delisei, 211; Oakesiana, 144
Chaerefolium anthriscus, 224
Chamaecyparis thyoides, 70, 71, 157, 158, 159
Chamaedaphne calyculata, 136
Chamaenerion spicatum alba, 180
Chamaepericlimenum, 178; canadense, 133
Chamberlain, C. J., 151
Chandler, W. H., 151
Charles Keene Dodge, 188
Cheiranthus polymaeus, 205
Chenopodium album, 82, 83, 86, 88; ambrosioides, 26; Botrys, 26; glaucum, 26; hybridum, 82, 130
Chimaphila maculata, 66; umbellata, 66
Chlorosplenium aeruginosum, 112
Chrysanthemum arcticum, 207; Balsamita, 31; Leucanthemum, 82, 85, 87; maximum, 226 Parthenium, 31
Chrysopsis villosa, 35
Chrysosplenium americanum, 133, 143; alternifolium, 206, 207
Circaea lutetiana, 130
Cirsium, 93; arvense, 31, 86; Hookerianum, 14; horridulum, 70, 71; lanceolatum, 86
Cladonia furcata, 143; furcata racemosa, 143; pyxidata, 211; pyxidata neglecta, 143; rangiferina, 141
Cladium mariscoides, 135
Clavaria aurea, 137; pistillaris, 137
Claytonia caroliniana, 148; virginica, 207
Clematis ligusticifolia, 33

Clitocybe illudens, 137
Cnius benedictus, 31
Cochlearia officinalis, 210
Cockerell, T. D. A., A New Hybrid Sunflower, 11; Notes on the Flora of Boulder County, Colorado, 177
Collecting Trip to Colombia, A, 244
Collema pulposum, 130; ryssoleum, 144; tenax, 104
Collinsia Ruttani, 225
Collinsonia canadensis, 139
Collybia radicata, 137; velutipes, 112
Columbia University, Meetings at, 36, 38, 123, 214
Colutea arborescens, 178
Comandra umbellata, 132
Comarum palustre, 194
Concerning Some Species of Carduus in Colorado, 14
Conium maculatum, 28
Conn, H. J., 151
Conocephalum conicum, 137
Convolvulus arvensis, 130; polymorphus, 224; Sepium, 71; spithamaeus, 132
Coons, G. H., 40
Coptis trifolia, 133, 176
Corallorrhiza maculata, 139; multiflora, 139; odontorhiza, 139
Coreopsis, 178; tinctoria, 31
Corispermum hyssopifolium, 26
Cornus Amomum, 132; candidissima, 132; circinata, 109; femina, 132; florida, 114, 115; rugosa, 109, 141, 145
Corydalis lutea, 27; pauciflora, 202
Cowles, H. C., 151, 153
Crambe maritima, 27
Crataegus Crus-galli, 71
Crepidotus malachius, 137
Crepis setosa, 225
Cross, J. A., 63
Cryptandra flaccida, 225; Torreyana grandiflora, 225
Cryptogramma Stelleri, 104, 109
Cynoglossum boreale, 116; officinale, 29, 86
Cynthia virginica, 71
Cynoxylon floridum, 132
Cyperus acuminatus, 25; esculentus, 25
Cypripedium acaule, 67; 165; parviflorum, 67; reginae, 132
Cystopteris fragilis, 205
Cytisus scoparius, 22, 27
Cucurbita, 178

Dactylis glomerata, 82–84, 87
Daedalea confragosa, 111, 143; quercina, 145
Daldinia concentrica, 140
Dasystoma flava, 136
Dates of publication, 246
Datura Tatula, 30
Davis, J. J., 75
Decodon verticillatus, 136
Delphinium Ajacis, 27; depauperatum, 223; Geyeri, 179; Nuttallianum, 223
Dentaria diphyllum, 143, 149; laciniata, 104; maxima, 104, 148
Dermatocarpon miniatum, 130
Deschampsia holciformis, 222
Diamant, R., 38
Dianthus barbatus, 83
Diapensia lapponica, 202, 208
Diatrype stigma, 146
Dichaena faginea, 115
Dicranopteris, 41; marginata, 44; glauca 43; Hawaiiensis, 43; linearis, 45
Dicranum bonjeani, 211; flagellare, 112, 116; fuscescens, 211; scoparium, 141
Didymium xanthopus, 135
Diervilla Diervilla, 132
Dichlos, 178
Diplocladium penicilloides, 143
Disporum Smithii, 33
Distichium capillaceum, 211
Dodecatheon Meadea frigidum, 206
Dodge, B. O., 60, 97, 124, 174, 245; Proceedings of the Club, 38, 39, 60, 62, 64, 75, 77, 96, 123, 154, 173
Dodge, Charles Keene, 188; death of, 125
Double Flowers in Hemerocallis fulva Linn., 242
Douglass, H. B., 38
Draba, 93; alpina, 201–210; hirta, 206; incana, 202, 205; stellata nivalis, 205
Drepanocladus uncinatus, 211
Drosera intermedia, 136; rotundifolia, 67, 133
Dryas octopetala, 202, 206, 207
Dryopteris clintoniana, 145; Goldieana, 145; intermedia, 113; marginalis, 9, 11, 113; marginalis elegans, 113; thelypteris, 71, 133
Duggar, B. M., 151, 153
Dulichium arundinaceum, 135

Echinocactus Simpsoni minor, 180
Echinochloa Crus-galli, 86
Ecological Society of America, 98, 162
Eddy, E., 245
Eleocharis ovata, 25
Elymus arenarius, 203, 207
Emerson and Weed's Our Trees (Review), 171
Empetrum nigrum, 199, 204
Entodon cladorrhizans, 112
Epigaea repens, 116, 143, 165
Epilobium odenocaulon, 139; cineras-

ceris, 195; franciscanum, 195; latifolium, 202, 203, 206
Equisetum arvense, 149; fluviatile, 130; hyemale, 222; littorale, 32, 193
Erigeron, 93; corymbosus, 30; Muirii, 206; strigosus, 84; uniflorus, 206
Erineum, 127
Eriocaulon septangulare, 136
Erigonum, 93; nudum, 33
Eriophorum, 178; capitatum, 202; gracile, 145; tenellum, 135; viridicarinatum, 133
Eritrichium nanum arctioides, 206
Errata, 246
Eriophyllum lanatum, 225; ternatum, 225
Erythronium americanum, 116, 149
Eucalypta streptocarpa, 128, 146
Euphorbia dictyosperma, 28; Lathyrus, 28
Eurynchium rusciforme, 111; strigosum, 115
Eutrema arenicola, 202, 203
Eutypella cerviculata, 137
Evans, A. W., 59, 60, 67
Exhibit of early Spring Flowers, 174
Exidia glandulosa, 144
Exidiopsis alba, 109

Fagus grandiflora, 115
Farr, W. K., 124
Farwell, O. A., 126
Faxon, C. E., 40
Ferns, 123
Ferns of Tropical Florida (Review), 226
Festuca aristulata, 32; idahoensis, 25; myuros, 71; octoflora, 71; rubra, 25, 32; sativa, 205
Filix bulbifera, 109; fragilis, 134
Flammula expansa, 109
Floerkea proserpinacoides, 148
Flora of Indian Ladder and Vicinity, Together with Descriptive Notes on the Scenery, The, 101, 127
Foeniculum vulgare, 22, 28
Fomes applanatus, 140; conchatus, 149; fomentarius, 112; ignarius, 137; pinicola, 112, 143, 145
Foote, C. E., 174
Forests of Maryland (Review), 120
Forests of Worcester County, Massachusetts (Review), 119
Fragaria americana, 134
Fraxinus spp., 168, 169, 170
Fromme, F. D., 78
Fumaria officinalis, 27
Further Additions to the Flora of Western Oregon, 220

Gager, C. S., 38, 39, 60, 76, 151, 153; Robbins's The Botany of Crop Plants (Review), 56
Galeopsis Tetrahit, 82
Galeorchis spectabilis, 116
Galium boreal, 205; lanceolatum, 144; Mollugo, 130; parisiense, 30; sylvaticum, 30; tricorne, 30; verum, 30
Ganoderma Tsugae, 109
Garrett, A. O., 176
Gastridium lendigerum, 32
Gaultheria procumbens, 133
Gaylussacia baccata, 132, 133, 136; resinosa, 132
Geaster saccatus, 112
Gentiana crinita, 163, 165; glauca, 203, 208
Genus Gleichenia (Dicranopteris) in the Hawaiian Islands, The, 41
Georgia pellucida, 135
Geum glaciale, 199, 206, 208; strictum, 34
Gilia aggregata, 29
Gill Fungi of Tropical North America, 96
Gleason, H. A., The Local Distribution of Introduced Species near Douglas Lake, Michigan, 81
Glecoma hederacea, 148
Gleditsia triacanthos, 169
Gleichenia dichotoma, 41–51; emarginata, 44; flexuosa, 42; glauca, 43; Hawaiiensis, 43, 44; longissima, 43
Glyceria, 205
Greenman, J. M., 151
Grier, N. M., Double Flowers in Hemerocallus fulva, Linn., 242
Grossularia hirtella, 133
Gundersen, A., 175; Emerson and Weed's Our Trees (review), 171; A Sketch of Plant Classification from Theophrastus to the Present, 212, 231
Gyalecta cupularis, 146
Gymnandra stellari, 210
Gymnolomia brevifolia, 183; hispida ciliata, 183; longifolia, 183; multiflora, 181; multiflora annua, 183; nevadensis, 183; obscura, 183; porteri, 183
Gymnosporangium, 109; clavariaeforme, 130, 174; clavipes, 174; globosum, 174; macropus, 174; nidus-avis, 174
Gymnostomum curvirostre, 128

Hall and Ingall on Illinois Forests (Review), 66
Halsted, B. D., death of, 176
Hamamelis virginiana, 141, 145
Hansen, A. A., Preserving Our Wild Flowers, 65

Harper, E. T., 75
Harper, R. A., 38, 39, 59, 76, 78, 151, 153, 245
Harper, R. M., 38, 97; Forests of Maryland (Review), 120; Forests of Worcester County, Massachusetts (Review), 119; Hall and Ingall on Illinois Forests (Review), 166; Two Connecticut Forest Reports (Review), 94
Harris, J. A., 60, 77
Harshberger, J. W., The Preservation of our Native Plants, 162
Hastings, G. T., 20; Some Abnormal Poplar Flowers, 16
Hawaiian Sumach, Rhus semilata var. sandwicensis Engler., 183
Hawaiian Violaceae, The, 1
Hazen, T. E., 38, 245
Hedeoma pulegioides, 146
Hedysarum boreale, 204, 206; pabulare, 179
Helianthus annuus, 11, 12, 14; 30, annuus lenticularis, 11, 13, 182; annuus ×cucumerifolius, 12, 14; aridus, 11, 13; canus, 13; cucumerifolius, 12; coloradensis, 181; coloradensis sulphurea, 181; decapetalus, 139; grosseserratus, 181; integrifolius, 13; parishii, 181; parishii oliveri, 181; patens, 13; petiolaris, 11, 12, 179; **petiolaris × annuus** 11; petiolaris integrifolius, 13; petiolaris patens, 11
Heliomeris annua, 183; brevifolia, 183; hispida, 183; hispida ciliata, 183; longifolia, 183; multiflora, 182; nevadensis, 183; obscura, 183; porteri, 183
Helonias bullata, 163, 165
Helotium citrinum, 112
Helvella crispa, 137
Hemerocallis fulva, 144
Henry, J. K., A New Variety of Rubus parviflorus, 54
Hepatica acutiloba, 116, 137; Hepatica, 149
Hesperis matronalis, 22
Heterocodon rariflorum, 35
Heuchera chlorantha, 194; cylindrica, 194
Hibiscus militaris, 61; Moschutos, 61, 71; oculiroseus, 61
Hicoria ovata, 115, 144; spp., 168–170
Hieracium aurantiacum, 86, 87, 132; florentinum, 132
Hipposelinum Levisticum, 136
Hoffmanseggia, 178; jamesii, 180
Homalia trichomanoides, 112
Hordeum jubatum, 32, 87
Horkelia congesta, 27
Horne, W. T., 38
Howe, M. A., 38, 59, 60, 61, 76, 77, 78; Proceedings of the Clubs, 244
Humulus Lupulus, 26
Hydnum albonigrum, 137; coralloides, 137
Hygrohypnum palustre, 134
Hygrophorus conicus, 137
Hylocomium proliferum, 137; triquetrum, 137, 148
Hymenochaete tabacina, 140
Hymenopappus cinereus, 90; **polycephalus** 90; tenuifolius, 90
Hypholoma perplexum, 112
Hypnum cupressiforme, 146; curvifolium, 116; Haldanianum, 112, 133, 135; imponens 134, 145; molluscum, 146, 148; recurvans, 133, 135; tenuirostris, 112
Hypoxylon cohaerens, 148; fuscopurpureum, 142; multiforme, 137
Hystrix Hystrix, 109, 145

Iberis coronaria, 27
Ilex verticillata, 136
Impatiens biflora, 139, pallida, 139
Ionopsidium acaule, 223
Iris sibirica, 203; versicolor, 71, 130
Isodendrion laurifolium, 3, 4, 10, 11; longifolium, 3, 4, 10, 11; pyrifolium, 3, 4, 9, 11

Jacobs, E., 9
Jagerinopsis, a Tropical Genus new to the United States and Cuba, 78
Jenkins, B., 96
Journal of the International Club, 40, 79
Journal of the New York Botanical Garden, 174
Juglans cinerea, 130; nigra, 168, 170
Julella monosperma, 140
Juncus Bolanderi, 33; dichotomus, 71; patens, 26; triformis uniflorus, 194; unicialis, 26, 194
Juniperus communis, 157; sibirica, 104; 130, 144; virginiana, 141

Kalmia angustifolia, 130, 136; latifolia, 165
Keithia **Chamaecyparissi** 160; thujina, 157, 158, 159
Keithia on Chamaecyparis thyoides, 157
Kern, F. D., 40
Kochia, 178
Konnerth, R., 75
Kraemer, H., 151

Labrador tea in New Jersey, 239
Laccaria laccata, 137
Lactarius cicilioides, 145; parus, 137

piperatus, 137; trivalis, 137; uvidus, 137; vellereus, 137
Lactuca Scariola, 31
Lamium purpureum, 29
Lappula deflexa, 87, 88; virginiana, 134, 139
Larix americana, 67; laricina, 133, 135
Lasthenia glaberrima, 31
Lathyrus Aphaca, 28; latifolius, 28; maritimus, 202
Lecanora cerina siderites, 144; pallida cancriformis, 115; privigna, 116; subfusca, 144; varia, 142
Ledum columbianum, 34, 195; groenlandicum, 240; palustre, 202, 204
Lentodon taraxacum, 71
Leotia lubrica, 137
Lepidium apetalum, 27; campestre, 27; Draba, 34; perfoliatum, 27; sativum, 223; virginicum, 71, 83–88
Lepiota aspera, 137
Leptogium lacerum, 104, 146
Leptothryium Periclymeni, 134
Leucelene, 178
Levine, M., 38, 60, 77
Levy, D., 245
Ligustrum vulgare, 224
Limnorchis huronensis, 116
Limodorum tuberosum, 133, 165
Limosella aquatica, 30
Linaria Cymbalaria, 30; Elatine, 225
Linnaea americana, 133; borealis, 202
Linum usitatissimum, 28, 71
Liquidambar, 170; Styraciflua, 162
Liriodendron, 170
Listera cordata, 67
Livingston, B. E., 151, 153
Lloydia serotina, 20–23
Lobaria amplissima, 144; pulmonaria, 143
Lobelia cardinalis, 165
Lobularia maritima, 27
Local Distribution of Introduced Species near Douglas Lake, Michigan, 81
Loiseleuria procumbens, 202, 206
Lolium perenne, 25
Lomatium macrocarpum, 28
Lonicera canadensis, 104, 134; dioica, 109, 116, 134; hirsuta, 116, 141
Lophocolea heterophylla, 133, 135, 140
Lophodermium Juniperinum, 158
Lophozia barbata, 143
Lorinseria areolata, 71
Lotus Torreyi, 27
Lovering, M., 123
Lunaria annua, 27
Lupinus, 93; arcticus, 204; oreganus, 27; perennis, 165
Luzula hyperborea, 204–210; spicata, 207
Lychnis alba, 82, 86, 88; apetala, 206, 207
Lycogala epidendrum, 137
Lycoperdon Wrightii, 112
Lycopodium adpressum, 227; complanatum, 165; obscurum, 165; sp., 66
Lycopus rubellus, 29
Lygodium palmatum, 165
Lyman, G. W., 40
Lysimachia Nummularia, 34; quadrifolia, 130, 132

MacCaughey, V., The Genus Gleichenia (Dicranopteris) in The Hawaiian Islands, 41; The Hawaiian Sumach Neneleau; Rhus semialata var. sandwicensis Engler, 183; The Hawaiian Violaceae, 1
Mackenzie, K. K., Charles Keene Dodge, 188; Labrador tea in New Jersey, 239
Macropodia fuscicarpa, 137
Magnolia virginiana, 165
Malaxis monophylla, 133
Malva moschata, 89; sylvestris, 28
Marasmius siccus, 112
Marble, D., 64
Marchantia polymorpha, 137
Mariscus mariscoides, 135
Marquette, W. G., 60, 77
Marsilea, 178
Massaria vomitoria, 143
Matricaria inodora, 202
McAtee, W. L., Notes on the Plants of Wallop's Island, Virginia, 70
McAtee's Natural History of the District of Columbia (Review), 242
Medsger, O. P., 97
Melampyrum lineare, 136
Melica Geyeri, 24
Melilotus alba, 57, 83; indica, 27; officinalis, 141
Melissa officinalis, 22, 29
Memoirs of the Torrey Botanical Club, 126
Mendelson, W., 76
Menispermum canadense, 116
Mentha Piperita, 29; Pulegium, 29; rotundifolia, 29
Menyanthes trifoliata, 134, 195
Merriman, M. L., 154
Mertensia, 69; denticulata, 34; dichotoma, 45; emarginata, 44; lanceolata secundorum, 180; lateriflora, 180; maritima, 205; myosotifolia, 180; paniculata, 202; pinnata, 43; platyphylla, 34; secundorum, 180; virginica, 165
Merulius tremellosus, 145
Metrosideros polymorpha, 6, 48

Meyer, F. N., death of, 155
Micranthes virginensis, 104
Micropus californicus, 226
Mitella diphylla, 130; nuda, 133; ovalis, 34
Mnium affine ciliare, 130; cuspidatum, 104; punctatum, 106, 133; spinulosum, 128
Mollugo verticillata, 33
Morgan, O. S., 76
Mosher's Grasses of Illinois (Review), 172
Muhlenbergia filiformis, 24
Muir, J., Some Botanical Notes from "The Cruise of the Corwin," 197
Murrill, W. A., 97
Murrill's and Saccardo's names of Polypores Compared (Review), 122; Billy the Boy Naturalist (Review) 229
Muscaria botryoides, 165
Mycena leaiana, 137
Mycologia, 97
Myosotis arvensis, 224; lutea, 29; sylvatica alpestris, 206
Myosurus major, 194
Myrica carolinensis, 71
Myxosporium nitidum, 145
Myzorrhiza, 178

Nabalus, 178
Nardosmia corymbosa, 206; frigida, 202, 207, 210
Naumburgia thrysiflora, 134
Navarretia, 178
Neckera gracilis, 112
Nelson, J. C., Additions to the Flora of Western Oregon, 21; Further Additions to the Flora of Western Oregon, 220; Mosher's Grasses of Illinois (Review), 172; Notes on the Flora of Lake Labish, Oregon, 191
Nemopanthes mucronata, 136
Nemophila atomaria, 34
Nepta Cataria, 86
Newcombe, F., C. 151, 153
New Hybrid Sunflower, A. 11
New Hymenopappus from Colorado, A, 90
New Variety of Rubus parviflorus, A, 54
New York Botanical Garden, 39, 79; Meetings at, 60, 77, 96, 173, 243
News Items, 20, 39, 79, 98, 125, 155, 176
Nicotiana attenuata, 30
Nishimura, M., 61
Norta, 178; altissima, 178
Notes on the Plants of Wallop's Island, Virginia, 70
Notes on a Carrier of the Mosaic Disease, 61
Notes on Southern Woody Plants, 71
Notes on the Flora of Boulder County, Colorado, 177
Notes on Gymnosporangium, 174
Notes on the Flora of Lake Labish, Oregon, 191
Notholoena, 178
Nymphaea advena, 130, 136
Nyssa sylvatica, 162, 170; uniflora, 170

Oberdorfer, G., 244
Ochrolechia tartarea, 211
Oenothera grandiflora, 224; strigosa, 180
Olive, E. W., 78, 79; Murrill's and Saccardo's Names of Polypores Compared (Review), 122; Ward and Whipple's Fresh-Water Biology (Review), 74
Omphalia Austini, 137; campanella, 149
Onagra strigosa, 28
Opuntia Opuntia, 71
Orchis spectabilis, 165
Oreoxis, 178
Orthotrichum anomalum, 128; speciosum, 142
Orton, C. R., 38
Oryzopsis asplenifolia, 144; melanocarpa, 137; racemosa, 137
Osmorhiza ambigua, 34
Osmunda cinnamomea, 133, 135; regalis, 71
Osterhout, G. E., Concerning Some Species of Carduus in Colorado, 14; A New Hymenopappus from Colorado, 90
Ostertag, R., 123
Ostrya virginiana, 140, 162
Oxycoccus macrocarpus, 136; Oxycoccus, 136; palustris, 241
Oxytropis campestris, 206; dispar, 180; minor, 180; prodocarpa, 202, 206, 207

Padus virginiana, 71
Panax trifolium, 148
Panicularia grandis, 144
Panicum miliaceum, 24
Pannaria lanuginosa, 111; nigra, 116
Panus stipticus, 137
Papaver nudicaule, 201–210; Rhoeas, 27
Parietaria pennsylvanica, 116
Parker, F., 244
Parmelia caperata, 104; cetrata, 130; conspersa, 211; crinita pilosella, 146; olivacea, 144; perlata, 143; physodes, 211; rudecta, 144; tiliacea, 115
Parrya Ermanni, 207; nudicaulis aspera, 206
Parsons, H. G., 62
Parthenocissus quinquefolia, 71
Paspalum conjugatum, 50

Paxillus involutus, 137
Pedicularis canadensis, 116; capitata, 205; euphrasioides, 202; Langsdorffi lanata, 202, 207; sudetica, 202, 205; verticillata, 205
Pediocactus, 178; Simpsoni, 180
Pellaea atropurpurea, 116, 140, 190; glabella, 190
Peltandra virginica, 136
Peltigera aphthosa, 112; canina, 112; horizontalis, 128
Peltiphyllum peltatum, 223
Pennell, F. W., 244
Pentamerus galeatus, 108
Pentstemon, 93; hirsutus, 134
Pericome, 178
Peridermium occidentale, 176
Persicaria hydropiperoides, 71; punctata, 71
Pertusaria dactylina, 211; leioplaca, 143; velata, 146
Petasites palmata, 134
Petry, L.
Phaca, 178
Phacidium tetrasporum, 157
Phalaris minor, 32
Phellopterus, 178
Phleum pratense, 83–88
Phlox sibirica, 206; subulata, 165
Pholiota adiposa, 141; autumnalis, 141; Johnsoniana, 112
Phorodendron flavescens, 165
Phragmidium, 109
Phragmites communis, 24, 193
Phryma Leptostachya, 144
Phylloxera Caryaecaulis, 115
Physalis pruinosa, 29
Physcia adglutinata, 143; stellaris, 146
Physcomitrella Hampei, 54; patens, 52, 53; patens × Physcomitrium sphaericum, 54; patens × Physcomitrium turbinatum, 53
Physcomitrium Hookeri, 52; immersum, 52; turbinatum, 52
Picea mariana, 145
Pinguicula villosa, 202, 203
Pinus echinata, 170; rigida, 132, 148; taeda, 70, 71; virginiana, 70
Placodium cerinum, 144; elegans, 115, 127
Plagiochila asplenoides, 135
Plagiothecium denticulatum, 135, 143; turfaceum, 141
Plantago lanceolata lanuginosa, 225; major, 30, 86; subnuda, 225; virginica, 71
Platanus, 169; occidentalis, 168, 170
Platysma Oakesianum, 144
Pleurotus ostreatus, 112; porrigens, 112; sulfureoides, 145; ulmarius, 112
Pluteus cervinus, 112; tomentosulus, 137
Poa, 93; annuua, 82, 86; arctica, 207, 210; multnomae, 32; pratensis, 71; 84–88; scabrella, 24; trivialis, 203
Podophyllum peltatum, 149
Pogonia ophioglossoides, 165
Polemonium coeruleum, 201, 203, 206, 207; humile, 206
Polycodium stamineum, 132
Polygala paucifolia, 130
Polygonium alpinum, 202; aviculare, 82, 87; aviculare vegetum, 223; Bistorta, 205; bistortoides, 33; confertiflorum, 223; convolvulus, 86, 88; erectum, 82; hydropiperoides, 223; pennsylvanicum, 83; Persicaria, 82, 86; prolificum, 71; viviparum, 204
Polypodium dichotomum, 45; vulgare, 111, 141, 143
Polyporus betulinus, 143; brumalis, 112; caesius, 112; chioneus, 112; fumosus, 145; gilvus, 137; picipes, 142; resinosus, 112, 143; Schweinitzii, 148
Polystichum, 178; acrostichoides, 113, 149
Polystictus conchifer, 115; versicolor, 115
Polytrichum juniperinum alpinum, 211
Pool, R. J., 96
Populus deltoides, 168, 169, 170; grandidentata, 16; tremuloides, 168
Porella platyphylla, 104
Poria radiculosa, 112; subacida, 112; vaporiria, 116
Potentilla, 93; anserina, 204; canadensis, 224; biflora, 204, 206; frigida, 208, 210; fruticosa, 204; monspeliensis, 71; nivea, 202, 206, 210
Preservation of Our Native Plants, The, 162
Preserving Our Wild Flowers, 65
Primula borealis, 202, 206
Proceedings of the Club, 36, 59, 75, 96, 123, 154, 173, 243
Prunella vulgaris, 225; vulgaris calvescens, 225
Pteridium aquilinum, 133
Pteris aqulina, 85; longifolia, 227, 228
Ptilidium ciliare, 143; pulcherrimum, 133, 135, 143
Puccinellia distans, 222; paupercula alaskana, 222
Puccinia Circaea, 130; Claytoniata, 148
Pyrola rotundifolia pumila, 204; secunda, 116
Pyrus communis, 27; Malus, 223

Quercus alba, 162, 168–170; aquatica

elongata, 73; **Bernardiensis,** 161; Boyntinii, 161; coccinea, 109, 136; dentata, 73; elongata, 73; hybrida, 72, hemispherica, 73; imbricaria, 169, 170; laurifolia, 73; laurifolia hybrida, 72; laurifolia obtusa, 72; laurina, 73; **leucophylla,** 73; macrocarpa, 168, 170; nigra, 73; 162; **obtusa**, 72, 73; pagoda, 72; pagodaefolia, 72, 169, 170; palustris, 169, 170; phellos, 73; Prinus, 136, 162; rubra, 127; rubra leucophylla, 73; stellata, 162, 169, 170; utahensis, 178; velutina, 162, 168–171
Quercus **Bernardiensis** sp. nov., 161

Radicula obtusa, 34
Raimannia humifusa, 71
Ranunculus acris, 87; affinis, 205; arvensis, 26, 194; bulbosus, 26; pygmaeus, 207; sceleratus, 71
Ratibida columnifera, 180
Reddick, D., 151, 153
Reseda alba, 224
Resumē by members of Summer Experiences, A, 245
Reviews, 56, 74, 91, 119, 153, 166, 226, 242
Rhamnus alnifolia, 133
Rhodobryum roseum, 130
Rhododendron kamtschaticum, 207; maximum, 165
Rhus semialata sandwicensis, 183
Rhytidium rugosum, 113
Ribes oxycanthoides, 133
Richards, H. M., 20, 36, 38, 60, 62, 75, 76, 96, 123, 154, 244, 245
Ritchie, J., 38
Ritchie, M., 245
Robbins's The Botany of Crop Plants (Review), 56
Robertiella Robertiana, 141
Robinia Pseudo-Acacia, 28, 144
Rock., J. F., 244
Roestelia, 109
Rosa angustiarum, 180; blanda, 109; canina, 223; pratincola angustiarum, 179; pratincola setulosa, 180; rubiginosa, 132; suffulta setulosa, 180; virginiana, 134
Rubus arcticus, 202, 203; Chamaemorus, 202; cuneifolius, 71; nigrobaccus, 133; odoratus, 109; Nutkanus velutinus, 54; parviflorus **Fraserianus,** 54; procumbens, 133; thyrsanthus, 223; triflorus, 133, 148; velutinus, 54
Rudbeckia hirta tubuliforme, 136; porteri, 183
Rumex acetosella, 83–87, 88; crispus, 71, 205; elongatus, 86; hastatulus, 71; obtusifolius, 82; venosus, 179
Ruppia maritima, 71
Rusby, H. H., 96, 124
Rusk, H. M., 64, 245
Russula foetida, 137
Rydberg's Flora of the Rocky Mountains (Review), 91
Rynchospora alba, 135

Sagina decumbens, 71; procumbens, 26
Salix, 93; babylonica, 223; cordata, 144; polaris, 204, 205, 208; Geyeriana, 194; spp., 168
Salsola Kali, 71
Sambucus pubens, 149
Sands, H. C., 244
Sanguinaria canadensis, 116, 149, 165
Sanguisorba microcephala, 34
Saponaria officinalis, 26, 144; Vaccaria, 26
Sarcoscypha coccinea, 143, 148
Sarracenia purpurea, 133, 67, 144
Sassafras Sassafras, 134, 145
Satureja acinos, 83
Saussurea alpina, 202; monticola, 210
Saxifraga bronchialis, 208, 210; caespitosa, 207; cernua, 206, 207; davurica, 206; flagellaris, 206, 210; hieracifolia, 202, 208, 210; Eschscholtzii, 206; nivalis, 202, 206; oppositifolia, 207; punctata, 206–208; serpyllifolia, 208, 210; rivularis hyperborea, 207–210; stellaris comosa, 207, 208, 210; Sibthorpii, 27; sileniflora, 208, 210; tricuspidata, 204, 206
Scandix Pecten-Veneris, 224
Scheuchzeria palustris, 135
Schinus molle, 184; terebinifolius, 184
Schiazea pusilla, 162
Schramm, J. G., 151
Schulz, A., 61
Schummacher, R., 96
Scirpus americanus, 71; atrovirens, 36; **Congdoni,** 36; pallidus, 36; paludosus, 26; validus, 33
Scleropoa rigida, 25
Scirpus from California, An Undescribed, 36
Scutellaria galericulata, 35, 195
Seaver, F. J., 61, 174, 245
Sebacina incrustans, 137
Secale cereale, 83
Secoligna cupularis, 146
Sedum acre, 26, 82, 89
Seifert, C., 96
Semecarpus anacardium, 184
Senecio, 93; Bolanderi, 226; Cineraria, 31; exaltatus, 195; frigidus, 202, 206–208; Jacobaea, 31; oreganus, 195; palustris, 202, 205; sylvaticus, 35

Septoria viriditingens, 144; Waldsteiniae, 148
Setaria glauca, 86; viridis, 83
Shear, C. L., 151, 153
Shorter Notes, 242
Shreve, F., 151, 153
Shull, G. H., 151
Sidalcea sp., 28
Silene acaulis, 201, 205; campanulata 26; dichotoma, 26; Menziesii, 134; noctiflora, 83, 86
Silybum marianum, 22
Sinnott, E. W., 151, 154
Sisymbrium altissimum, 82, 87; officinale, 86; pannonicum, 178; Sophia,27
Sisyrinchium angustifolium, 71; birameum, 33
Sitanion jubatum, 25
Sketch of Plant Classification from Theophrastus to the Present, A, 213, 231
Skottsberg, C., 39
Smilax rotundifolia, 71
Solanum Dulcamara, 29; 144, 195; elaeagnifolium, 180; nigrum, 86; nigrum villosum, 29; triflorum, 29
Solidago caesia, 141; caurina, 30; sempervirens, 71
Solorina saccata, 116
Some Abnormal Poplar Flowers, 17
Some Botanical Notes from "The Cruise of the Corwin," 197
Some Farthest North Lichens and Mosses of the Peary Arctic Expedition to Grant Land in 1906, 210
Sonchus asper, 87
Sorosporium Saponariae, 134
Southwick, E. B., 99
Spathyema foetida, 133
Spergula sativa, 33
Spergularia sparsiflora, 223
Sphaerella Sarraceniae, 144
Sphagnum magellanicum, 133, 145; medium, 145; squarrosum, 135
Sphecodogastra texana, 179
Spiraea betulifolia, 203
Spondias dulcis, 184; lutea, 184
Sporobolus cryptandrus, 24
Stachys palustris, 35; pubens, 35
Stakman, E. C., 40
Standley, P. C., Rydberg's Flora of the Rocky Mountains (Review), 91
Staphylea trifolia, 109, 141
Steinberg, R., 38
Steironema ciliatum, 145
Stellaria longipes, 202–205; longipes Edwardsii, 208, 210; media, 22
Stereocaulon denudatum, 211
Stewart, G., 175
Sticta amplissima, 144; pulmonaria, 143
Stictis Tsugae, 157
Stipa occidentalis, 24
Stone, G. E., 154
Stout, A. B., 38, 60, 61, 77, 78
Streptopus longipes, 189
Symphoricarpos pauciflorus, 111; racemosus, 144
Syntherisma Ischaemum, 24

Tanacetum vulgare, 22, 31
Taraxacum officinale, 86, 88; palustre, 206
Taxodium distichum, 170
Taxus canadensis, 133, 139
Taylor, N., 77; Billy, the Boy Naturalist (Review), 229; Britton's Flora of Bermuda (Review), 153; McAtee's Natural History of the District of Columbia (Review), 242; Weaver's Study of the Vegetation of Southeastern Washington and Adjacent Idaho, and Ecological Studies in the Tension Zone between Prairie and Woodland, by Weaver and Theil (Review), 58
Tectaria minima, 229
Thalictrum dioicum, 116
Thelia asprella, 115
Thelypteris, 178
Therofon majus, 27
Thuidium abietinum, 130; delicatulum, 113, 149
Thuja occidentalis, 157; plicata, 157, 158
Thymus Serpyllum, 29
Thysanocarpus curvipes, 223
Tilia americana, 127, 168, 169, 170
Timmia cucullata, 104
Tithymalus cyparissias, 144
Tofieldia coccinea, 202, 206
Tortula ruralis, 211
Toxicodendron radicans, 71; vernix, 132
Tracy, S. M., 76
Tragopogon pratensis, 225
Tremella aurantia, 115
Triadenum virginicum, 136
Trichocolea tomentella, 133
Tricholoma album, 109; personatum, 112
Trientalis europea arctica, 203, 205
Trifolium agarium, 141; arvense, 71, 136; dubium, 71; hybridum, 82–88; incarnatum, 27; microdon, 34; pratense, 82–88; repens, 82–88
Trillium erectum, 104, 130
Trisetum subspicatum molle, 205
Triticum aestivum, 222; vulgare, 25
Trogia crispa, 145
Tsuga canadensis, 140, 157
Tussilago Farfara, 149

Twiss, W. C., 38
Two Connecticut Forest Reports (Review), 1, 94
Typha angustifolia, 24, 193; latifolia, 193

Ulex europaeus, 22
Ulmus americana, 168–170; spp., 170
Undescribed Scirpus from California, An, 36
Unifolium canadense, 132, 139
Uvularia grandiflora, 145
Urceolaria scruposa, 104
Urocystis Anemones, 137
Uromyces Caladii, 137
Uva-Ursi Uva-Ursi, 109
Uvularia grandiflora, 130; sessilifolia, 145

Vacant Lot School Gardens, 62
Vacant Lot Gardening in Newark, N. J., 64
Vaccinium angustifolium, 130; atrococcum, 134, 136; corymbosum, 67, 134, 136; **Margarettae,** 71; pennsylvanicum, 130; uliginosum mucronatum, 204, 206; vacillans, 72; Vitis-Idaea, 202–206
Vagnera stellata, 133, 141
Valeriana capitata, 202
Valerianella olitoria, 30
Vaucheria sessilis, 144
Veratrum, 178; viride, 148
Verbascum speciosum, 30; Thapsus, 82–89
Verbena officinalis, 29
Veronica americana, 134; arvensis, 82, 87; officinalis, 225; peregrina, 87; Tournefortii, 30
Verrucaria papularis, 146; rupestris, 146
Viburnum cassinoides, 136; dentatum, 134, 136; pubescens, 109
Vicia angustifolia, 116, 224; dasycarpa, 28; Faba, 28; tetrasperma, 144, 224; villosa, 87, 28
Vinca major, 28
Viola, H., 245
Viola canadensis, 130; Chamissoniana, 3, 4, 11; Chamissoniana beta, 5; conspersa, 130, 148; cucullata, 133; eriocarpa, 148; Helena, 3, 4, 5, 11; Helena Laniaensis, 3, 4, 5, 11; helioscopa, 3, 4, 5, 11; Kauaiensis, 3, 4, 6, 11; Mauiensis, 3, 4, 7, 11; Mauiensis Kohalana, 3, 4, 7, 11; Oahuensis, 3, 4, 8, 11; pallens, 143; primufolia, 71; Rafinesquii, 180; renifolia, 116; robusta, 3, 4, 8, 11; robusta Mauiensis, 3, 4, 9, 11; robusta Wailenalenae, 3, 4, 9, 11; Sheltonii, 224
Vitis bicolor, 111; labrusca, 71; vinifera, 28; vulpina, 132

Waldsteinia fragarioides, 104, 130
Ward and Whipple's Fresh-water Biology (Review), 74
Washingtonia longistylis, 116
Weatherby, C. A., Ferns of Tropical Florida (Review), 226
Weaver, J. E., 75
Weaver's Study of the Vegetation of Southeastern Washington and Adjacent Idaho; and Ecological Studies in the Tension Zone between Prairie and Woodland, by Weaver and Theil (Review), 58
Weatherwax, P., 123
Webera sessilis, 149
What the Brooklyn Botanic Garden is doing for Brooklyn, 63
Whetzel, H. H., 40
Wickham, E. A., 244
Williams, R. S., Some Furthest North Lichens and Mosses of the Peary Arctic Exploration to Grant Land in 1906, 210
Wilson, P., 38, 59, 75
Wolf, W., Quercus Bernardiensis sp. nov., 161
Woman's Agricultural Camp at Bedford, N. Y., The, 64
Woodsia ilvensis, 202

Xanthium spinosum, 30; varians, 35
Xanthoceras sorbifolia, 164
Xolisma ligustrina, 133

Zea Mays, 57, 87
Zon, R., 151

The Torrey Botanical Club

Contributors of accepted articles and reviews who wish six gratuitous copies of the number of TORREYA in which their papers appear, will kindly notify the editor when returning proof.

Reprints should be ordered, when galley proof is returned to the editor. The New Era Printing Co., 41 North Queen Street, Lancaster, Pa., have furnished the following rates:

	2pp	4pp	8pp	12pp	16pp	20pp
25 copies	**$ .79**	**$1.14**	**$1.78**	**$2.32**	**$2.87**	**$3.28**
50 copies	**1.03**	**1.43**	**2.23**	**2.82**	**3.52**	**3.92**
100 copies	**1.45**	**2.03**	**2.73**	**3.50**	**4.23**	**4.55**
200 copies	**2.15**	**3.24**	**3.92**	**5 25**	**6.52**	**6.92**

Covers: 25 for $1.00, additional covers 1¼ cents each.

Plates for reprints, 50 cents each per 100.

Committees for 1918.

Finance Committee

R. A. Harper, *Chairman.*
J. H. Barnhart,
Miss C. C. Haynes
Sereno Stetson

Budget Committee

J. H. Barnhart, *Chairman.*
R. A. Harper
N. L. Britton
A. W. Evans
M. A. Howe
H. H. Rusby

Field Committee

Percy Wilson, *Chairman.*
Mrs. L. M. Keeler
Michael Levine
William Mansfield
George T. Hastings

Program Committee

Mrs. E. G. Britton, *Chairman.*
Prof. Jean Broadhurst
B. O. Dodge
T. E. Hazen
F. J. Seaver

Membership Committee

J. K. Small, *Chairman.*
Michael Levine
E. W. Olive

Local Flora Committee

N. L. Britton, *Chairman.*

Phanerogams:	**Cryptogams:**
E. P. Bicknell	Mrs. E. G. Britton
N. L. Britton	T. E. Hazen
C. C. Curtis	M. A. Howe
K. K. Mackenzie	Michael Levine
Norman Taylor	W. A. Murrill

Chairmen of Special Committees on Local Flora

Ferns and Fern Allies: R. C. Benedict.
Mosses: Mrs. E. G. Britton
Liverworts: A. W. Evans
Fresh Water Algae: T. E. Hazen
Marine Algae: M. A. Howe
Gasteromycetes: G. C. Fisher
Hymenomycetes: W. A. Murrill
Except Russula and Lactarius: Miss G. Burlingham
  Cortinarius: R. A. Harper
  Polyporeae: M. Levine
Exobasidii: H. M. Richards
Rusts and Smuts: E. W. Olive
Discomycetes: B. O. Dodge
Lichens: W. C. Barbour
  Sphaeriaceae, Dothideaceae Richards
  Hypocreaceae, Perisporieae, Plectacineae, Tuberineae: F. J. Seaver
Fungi-forming sclerotia: A. B. Stout
Imperfecti: H. M. Richards, F. Seaver, Mel T. Cook
Oomycetes: C. A. King
Zygomycetes: A. F. Blakeslee
Chytridiaceae,
Myxomycetes: Mrs. H. M. Richards
Yeast and Bacteria: Prof. J. Broadhurst
Insect galls: Mel T. Cook

OTHER PUBLICATIONS

OF THE

TORREY BOTANICAL CLUB

---

(1) BULLETIN

A monthly journal devoted to general botany, established 1870. Vol. 44 published in 1917, contained 579 pages of text and 26 full-page plates. Price $4.00 per annum. For Europe, 18 shillings. Dulau & Co., 47 Soho Square, London, are, agents for England.

Of former volumes, only 24–44 can be supplied entire ; certain numbers of other volumes are available, but the entire stock of some numbers has been reserved for the completion of sets Vols. 24–27 are furnished at the published price of two dollars each ; Vols. 28–44 three dollars each.

Single copies (30 cents) will be furnished only when not breaking complete volumes.

(2) MEMOIRS

The MEMOIRS, established 1889, are published at irregular intervals. Volumes 1–15 are now completed ; No. 1 of Vol. 16 has been issued. The subscription price is fixed at $3.00 per volume in advance. The numbers can also be purchased singly. A list of titles of the individual papers and of prices will be furnished on application.

(3) **The Preliminary Catalogue of Anthophyta and Pteridophyta** reported as growing within one hundred miles of New York, 1888. Price, $1.00.

Correspondence relating to the above publications should be addressed to

DR. BERNARD O. DODGE
Columbia University
New York City